

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

UNI-SAFE

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Oil and chemical binder

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company ÖKO-TEC Umweltschutzsysteme GmbH
Im Krötengrund 4
63579 Freigericht-Horbach / GERMANY
Phone +49 (0)6055-9156-0
Fax +49 (0)6055-9156-20
Homepage www.oeko-tec.de
E-mail service@oeko-tec.de

Address enquiries to

Technical information service@oeko-tec.de
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company +49 (0)6055-9156-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

2.3 Other hazards

Human health dangers No disposal of respirable dust if used as directed.
Environmental hazards Does not contain any PBT or vPvB substances.
Other hazards Further hazards were not determined with the current level of knowledge.

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 2 / 10

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
30 - < 55	Kieselguhr, soda ash flux-calcined CAS: 68855-54-9
<5	Water CAS: 7732-18-5
<5	Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated CAS: 25322-68-3

Comment on component parts

No dangerous components.
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse out mouth and give plenty of water to drink.
In the event of symptoms seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Avoid dust formation.

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 3 / 10

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Avoid raising dust.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No disposal of respirable dust if used as directed.
Avoid the formation and deposition of dust.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Store in a dry place.
The product is hygroscopic.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance
Kieselguhr, soda ash flux-calcined
CAS: 68855-54-9
Long-term exposure: 0,3 mg/m ³

DNEL

Substance
Kieselguhr, soda ash flux-calcined, CAS: 68855-54-9
Industrial, inhalative, Long-term - systemic effects: 0,05 mg/m ³ .
general population, oral, Long-term - systemic effects: 18,7 mg/kg bw/day.
general population, inhalative, Long-term - systemic effects: 0,05 mg/m ³ .

PNEC

Substance
Kieselguhr, soda ash flux-calcined, CAS: 68855-54-9
sewage treatment plants (STP), 100 mg/L.

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 4 / 10

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	In full contact: 0,4 mm; butyl rubber, > 120 min (EN 374) The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale dust.
Respiratory protection	Respiratory protection in the case of dust formation. short term: filter apparatus, filter P1 (DIN EN 143)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	powder > 10 µm
Color	light green
Odor	odourless
Odour threshold	not applicable
pH-value	8 (aqueous suspension)
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/ml]	not determined
Bulk density [kg/m³]	> 400
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	> 440 (DIN 51794)
Decomposition temperature [°C]	240

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 5 / 10

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not required

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance
Kieselguhr, soda ash flux-calcined, CAS: 68855-54-9
LD50, oral, Rat: > 2000 mg/kg (OECD 401).
LC50, inhalative, Rat: > 2,6 mg/L (OECD 403).
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated, CAS: 25322-68-3
LD50, oral, Rat: 15000 mg/kg.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Substance
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated, CAS: 25322-68-3
LC50, (96h), <i>Leuciscus idus</i> : > 500 mg/l.

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 6 / 10

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

not required

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

For recycling, consult waste disposal centres.
For recycling, consult manufacturer.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

not applicable

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 7 / 10

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 8 / 10

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302

This product does not contain any ingredients regulated under this list.

- SARA, 311

This product does not contain any ingredients regulated under this list.

- SARA, 313

This product does not contain any ingredients regulated under this list.

- CA Proposition 65

No components require labeling under California Proposition 65.

- TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

- FDA

not required

American Conference of Governmental Industrial Hygienists - ACGIH

ACGIH: yes - contains crystalline silica

International Agency for Research on Cancer IARC

IARC: yes - contains crystalline silica.

National Toxicology Program - NTP

This product is named NTP - National Toxicology Program (contains Silica).

HAP-VOC

not applicable

Transport-regulations

ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

15.2 Chemical safety assessment

not applicable

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 9 / 10

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Ratings

ÖKO-TEC Umweltschutzsysteme GmbH
63579 Freigericht-Horbach

Date printed 17.04.2020, Revision 17.04.2020

Version 06. Supersedes version: 05

Page 10 / 10

NFPA Ratings



TOP, FLAMMABILITY: 0 - Minimal Hazard
LEFT, HEALTH: 0 - Minimal Hazard
RIGHT, REACTIVITY: 0 - Minimal Hazard
BOTTOM, SPECIAL NOTICE: -

HMIS Ratings

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	N

1 - Slight Hazard
0 - Minimal Hazard
0 - Minimal Hazard
No special measures necessary.

PERSONAL PROTECTION:

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

Modified position

none

Copyright: Chemiebüro®